

INFANT DEATHS

TABLE 63
INFANT DEATHS BY GEOGRAPHICAL AREA
2002

COUNTY	INFANT DEATHS				PERINATAL MORTALITY	
	PLACE OF OCCURRENCE		PLACE OF RESIDENCE		PLACE OF RESIDENCE	
	Number	Rate <u>a/</u>	Number	Rate <u>a/</u>	Number	Rate <u>b/</u>
Hawai'i	*	1.0	*	5.0	*	9.4
Honolulu	*	8.6	*	7.4	*	9.1
Kaua'i	*	1.4	*	4.1	*	9.5
Maui	*	3.5	*	5.9	*	13.8
Sub-Total Residents	-	-	*	6.8	*	9.7
Non-Residents	-	-	*	-	*	-
Unknown	-	-	*	-	*	-
Total	122	7.0	122	-	174	9.9

*Cell sizes suppressed.

a/ Number of Resident Deaths per 1,000 live births.

b/ Resident infant deaths under 1 week of age plus the number of fetal deaths of 20 weeks or more gestation divided by the sum of total resident live births plus resident fetal deaths of 20 weeks or more gestation, per 1,000.

TABLE 64
INFANT DEATHS BY ETHNICITY OF INFANT, AGE AND BIRTH WEIGHT
RESIDENTS, 2002

ETHNICITY OF INFANT	AGE OF INFANT (DAYS)						BIRTH WEIGHT
	Under 1 Day	1 - 6	7 - 27	Over 27	Total		Under 2500 grams <u>b/</u>
	Rate <u>a/</u>	Rate <u>a/</u>	Rate <u>a/</u>	Rate <u>a/</u>	No.	Rate <u>a/</u>	
Caucasian	3.0	0.0	0.3	1.4	14	4.7	10
Hawaiian	2.2	1.7	0.9	3.4	53	8.2	32
Filipino	3.5	0.0	0.1	1.0	15	5.2	12
Japanese	3.3	1.1	1.1	2.8	15	8.3	7
All Others	3.9	0.6	0.6	1.5	22	6.6	17
Total	3.0	0.9	0.7	2.2	119	6.8	78

Notes:

a/ Rates are number of infant deaths per 1,000 live births.

b/ Birth weights under 2,500 grams are considered low birth weight.

TABLE 65
INFANT DEATHS BY CAUSE, SEX, BIRTH WEIGHT AND AGE
RESIDENTS, 2002

CAUSE OF DEATH <u>b/</u>	Number of Infant Deaths	NEONATAL <u>a/</u>	
		Under 28 Days	Rate
Maternal Complications of Pregnancy	16	16	0.9
Short Gestation	18	17	1.0
Other Respiratory Condition	6	6	0.3
Other Perinatal Condition	8	8	0.5
Other Congenital Anomaly	7	6	0.3
All Other Causes	64	27	1.5
Total	119	80	4.6

Note:

a/ Neonatal deaths are deaths of infants under 28 days of age. Rate is per 1,000 live births.

b/ The method of coding causes of death changed in 1999 to the International Classification of Diseases, Version 10.